




A11.1529

Student Microscope

Catalogue





STUDENT MICROSCOPE

- Up & Bottom LED Both Brightness Adjustable
- High Performance-price Ratio For Student Use
- Full Optical Glass System
- Cordless Power Supply Design



A11.1529 is the best price small microscope especially for students. The body is plastic with all-optical glass system, cordless operation design make it portable and easy to use. There is up and bottom LED which through the fourth gear operation, both can adjust brightness. Achromatic 4X, 10X, 40X objective enable utmost 400X optical magnification, which can clearly observe biological slices, biological cells, bacteria and living tissue culture etc.

 MONO Monocular	 BINO Binocular	 TRINO Trinocular	 360° Head 360° Rotating	 LED LED	 ABBE Abbe Condenser	 INCIDENT Incident Light	 TRANSMIT Transmit Light	 KOHLER Kohler Illumination
 PLAN Plan Achromatic	 INFINITY Infinity Optical System	 DARK FIELD Dark Field	 POLARIZING Polarizing	 PHASE CONTRAST Phase Contrast	 FLUORESCENT Fluorescent	 ZOOM STEREO Zoom Stereo Lens	 PARALLEL Parallel Optical System	 COAXIAL Coaxial Illumination
 USB USB	 WiFi WiFi	 LCD LCD	 CORDLESS BATTERY Cordless Battery	 RECHARGEABLE Cordless Rechargeable	 WIDE POWER 100-240V Wide Power	 AUTO POWER OFF Auto Power Off	 3 YEARS 3 Years Warranty	 5 YEARS 5 Years Warranty



Parameter:

A11.1529 Student Microscope	
Head	Monocular, 45° Inclined , 360° Rotatable
Eyepiece	WF10x/16mm
Objective	Achromatic 4x, 10x, 40xs
Nosepiece	Outward Triple
Focusing	Coarse Focusing Knob, Focusing Range 18mm
Working Stage	Plain Stage With Clips, Size 90*90mm
Condenser	Single Lens Condenser, 6 Holes Disc Diaphragm
Illumination	Up & Bottom LED Light, Both Brightness Adjustable
Power	Powered By Outlet AC/DC Adapter (110V/220V), Or By 3 pcs AA Batteries (Not Included) For Cordless Usage.


PRODUCT DISPLAY



SIZE AND WEIGHT

Product Size	15x10x28CM
Net Weight	0.7KG/Set



 A11.1529 Student Microscope



Accessories:

Achromatic Objectives 4X, 10X, 40XS



PRODUCT DETAILS



01 HEAD

Monocular head, 45° inclined, 360° rotatable with WF10X eyepiece.

02 NOSEPIECE

Outward triple, equipped with achromatic objective 4X, 10X, 40Xs.



03 WORKING STAGE

Plain stage with clips, size 90 × 90mm.

04 CONDENSER

Single lens condenser, 6 holes disc diaphragm make it easy to adjust the light source.



05 ADJUSTMENT KNOB

The adjustment knob on the base is four gears adjustment knob, respectively off, up LED, bottom LED and up&bottom LED.

The dimmer on base can adjust the up and bottom LED at the same time.



06 ILLUMINATION

Up and bottom LED light, both brightness adjustable.



07 POWER SUPPLY

Powered by outlet AC/DC adapter (110V/220V), or by 3 pcs AA Batteries (not included) for cordless usage.

RELATED PRODUCTS



We Remain Right To Change Technical Data Without Notice Due To Upgrade.